

PCTWORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7 : A61K 31/66	A1	(11) International Publication Number: WO 00/51619
		(43) International Publication Date: 8 September 2000 (08.09.00)
(21) International Application Number: PCT/US00/05365 (22) International Filing Date: 1 March 2000 (01.03.00) (30) Priority Data: 60/122,073 1 March 1999 (01.03.99) US (71) Applicant (for all designated States except US): VISTA SCIENTIFIC LLC (US/US); Suite 8B, 1 Dundee Park, Andover, MA 01810 (US). (72) Inventors: LEAHY, Charles, D.; 39 Edgewood Road, Concord, MA 01742 (US). ELLIS, Edward, J.; 9 Hampton Court, Lynnfield, MA 01940 (US). ELLIS, Jeanne, Y.; 9 Hampton Court, Lynnfield, MA 01940 (US). (74) Agent: ELLIS, Edward, J.; Cantor Colburn LLP, 55 Griffin Road South, Bloomfield, CT 06002 (US).		(81) Designated States: CA, JP, MX, European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE). Published <i>With international search report.</i>
(54) Title: MUCIN CONTAINING OPHTHALMIC PREPARATIONS		
(57) Abstract		
<p>The present invention discloses the ophthalmic applications of mucin derived from mammalian milk or milk byproducts. This mucin has been found to be a MUC1 type mucin similar to the transmembrane mucin expressed on the surface of the human eye. The mucin-containing preparations described in this invention can be in the form of an aqueous formulation to be instilled into the eye, or in which the pre-soak or store an object to be inserted into the eye, such as a contact lens, an ointment, or a solid device to be inserted into the conjunctival sac. The preparations disclosed are utilized for the treatment of tear film and ocular surface disorders associated with the signs and symptoms of dry eye. Furthermore, mucin-based formulations are also effective for the relief of symptoms of eye irritation, such as those caused by environmental conditions or by contact lens wear.</p>		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Cote d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

WO 00/51619

PCT/US00/05365

MUCIN CONTAINING OPHTHALMIC PREPARATIONS

FIELD OF THE INVENTION:

The present invention relates to ophthalmic preparations and more specifically relates to ophthalmic preparations for use as a tear film supplement, wherein the preparation comprises a mucin component.

BACKGROUND OF THE INVENTION:

Initial descriptions and models of the tear film described the tear film as including three distinct layers and as being a three-layered, aqueous-dominated tear film. One of the layers comprises a mucin layer which serves primarily to render the hydrophobic ocular surface hydrophilic, so that the aqueous layer comprising the bulk of the tear film will spread evenly over the eye.

Current work in this field has shown that the classic aqueous-dominated tear film model has been replaced by the more probable concept of a mucin-dominated gel. This gel has its highest concentration of mucin at the epithelial surfaces of the cornea and conjunctiva, and the mucin concentration gradually decreases farther out into the tear film. In this model, the presence of mucin remains significant for the structure, stability and function of the entire tear film. Recent studies of the tear film using laser interferometry and confocal microscopy might be including the entire gel layer in indicating that the human tear film is 30 to 40 microns thick, more than four times thicker than earlier estimates.

Based on tear film physiology and clinical observations, tear film abnormalities are commonly designated by focus on a specific deficiency, such as an aqueous tear deficiency, kerato-conjunctivitis sicca (KCS), a mucin deficiency, a lipid abnormality, an impaired lid function, or an epitheliopathy. Although clinically useful, the simplistic concept of a lack of one component of the tear film as the cause of dry eye has given way to a much more sophisticated view of ocular surface disease that involves: (1) the health and regulation of the various glands contributing secretions to the tear film, (2) changes in the tear film itself, such as in osmolality and content of inflammatory mediators, and (3) what is viewed as a sort of "final common

WO 00/51619

PCT/US00/05365

2

pathway", the subsequent changes to the ocular surface. In fact, many clinicians and authors prefer the term "ocular surface disease" over "dry eye", for it is change to the ocular surface, whatever the original cause, that results in the significant signs and symptoms of dry eye. The discomfort of ocular surface disease is expressed in ocular
5 symptoms, such as dryness, grittiness, burning, soreness or scratchiness, with variation among individuals. These symptoms can also be exacerbated by factors such as environmental conditions and contact lens wear. The combination of varying clinical signs and symptoms has also been termed dry eye syndrome.

Over the past twenty to thirty years many attempts have been made to provide
10 an effective and long lasting treatment of dry eye symptoms, particularly for patients with moderate to severe KCS. These prior art attempts can be categorized on the basis of their physical state: ointments, emulsions, solid devices and aqueous based solutions or gels. Ointments are generally anhydrous preparations based on mixtures of white petrolatum and mineral oil. Because these formulations are greasy and cause
15 blurred vision, they are not widely used other than in cases of severe symptoms, and are mostly limited to application at night just before sleeping. Emulsion based formulations for treating dry eye symptoms have emerged over the past ten years. One approach has been disclosed in a series of U.S. patents: 5,578,586; 5,371,108; 5,294,607; 5,278,151; 4,914,088, all of which are herein incorporated by reference in
20 their entirety. These patents teach the methods and compositions for reducing evaporation of the aqueous layer from the surface of the eye. The method comprises applying an admixture of a charged phospholipid and a non-polar oil over the eye, preferably in the form of a finely divided oil-in-water emulsion. Another approach is described in U.S. patents 4,818,537 and 4,804,539, incorporated herein by reference
25 in their entirety, where liposome compositions in the form of emulsions are claimed to provide enhanced retention on ocular surfaces and therefore thereby alleviate the symptoms of dry eye.

Solid devices, in the form of ocular inserts, have been utilized for longer term symptomatic relief of dry eye. These devices are placed in the eye and slowly
30 dissolve or erode to provide a thickened tear film. Often patients find these devices

WO 00/51619

PCT/US00/05365

4

attained through the use of carbomer polymers. These carbomer polymers have been found to be bio-adhesive as described in U.S. patents 5,225,196, 5,188,828, 4,983,392 and 4,615,697, all of which are incorporated by reference in their entirety. It is believed that the bio-adhesive properties of the carbomer contributes to longer retention times in the eye. In fact, U.S. patents 5,075,104 and 5,209,927, incorporated by reference in their entirety, teach "that the carbomer polymers appear to function by maintaining or restoring the normal hydration equilibrium of the epithelial cells, protecting the cornea in a manner similar to that believed to be provided by the mucin component of normal tears. Therefore, in theory, the polymers, in addition to being well retained in the eye and providing lubrication, can function as a mucin substitute in the dry eye syndrome where there is a deficiency or absence of the natural mucin component of the normal tears.

Polymers that exhibit mucin-like properties are often referred to as "mucomimetic". Usually in the art the mucin-like property provided by such "mucomimetic" polymers is simply viscosity. While it is true that a viscous solution will stay in the eye somewhat longer, it is the viscoelasticity, rather than simply the viscosity, of the gel-forming mucin of the tear film that is critical to its protective function during blinking. Additional lubrication and protection from drying and physical trauma to the ocular surface itself comes from the transmembrane mucin expressed on the surface of the entire ocular surface epithelium. It has also been proposed that this transmembrane mucin plays a critical role in spreading and maintaining the tear film structure through its interaction with the secreted gel-forming mucins of the tear film.

Mucins are the most important component in the tear film for promoting lubrication during the blinking process. The rate of shear during blinking can be very high. At such levels damage to cells and subsequent pain will occur if the shearing forces generated during blinking are transmitted to the epithelial surfaces. Two rheological conditions can mitigate the action of the shearing forces due to blinking. Firstly, shear thinning (non Newtonian behavior) of the tear film as the shear forces increase will result in a reduction of the apparent viscosity. Secondly, the energy